

	Type	Hits	Search Text
1	BRS	0	reinforcement with beam and "6634698".pn.
2	BRS	1	reinforcement same beam and "6634698".pn.
3	BRS	1	frame same beam and "6634698".pn.
4	IS&R	1	("6820923").PN.
5	BRS	0	intrusion and S432
6	BRS	1	belt\$1line and S432
7	BRS	180	intrusion adj1 device
8	BRS	307497	(auto or car or auto\$1mobile or auto\$1motive or vehicle or vehicular or truck).ti,ab.
9	BRS	18	S435 and S436
10	BRS	15114	visco\$1elastic
11	IS&R	1	("20040036317").PN.
12	BRS	1	S438 and S439
13	BRS	1	(material adj1 "20") and S439
14	IS&R	1	("5358397").PN.
15	BRS	0	S438 and S442
16	IS&R	1	("6131897").PN.
17	IS&R	1	("4922592").PN.
18	BRS	1	pellet and S442
19	BRS	1	flow\$3 and S442
20	IS&R	1	("4922596").PN.
21	BRS	1	(metal or metallic) and S448
22	BRS	1	bead and S448

	DBs	Time Stamp	Comments	Error Definition
1	US-PGPUB; USPAT	2006/05/09 18:45		
2	US-PGPUB; USPAT	2006/04/19 19:05		
3	US-PGPUB; USPAT	2006/04/19 19:10		
4	US-PGPUB; USPAT	2006/04/19 19:11		
5	US-PGPUB; USPAT	2006/04/19 19:13		
6	US-PGPUB; USPAT	2006/04/19 19:18		
7	US-PGPUB; USPAT	2006/04/19 19:18		
8	US-PGPUB; USPAT	2006/04/19 19:19		
9	US-PGPUB; USPAT	2006/04/19 19:19		
10	US-PGPUB; USPAT	2006/05/09 18:46		
11	US-PGPUB; USPAT	2006/05/09 18:47		
12	US-PGPUB; USPAT	2006/05/09 18:49		
13	US-PGPUB; USPAT	2006/05/09 19:17		
14	US-PGPUB; USPAT	2006/05/09 18:51		
15	US-PGPUB; USPAT	2006/05/09 18:51		
16	US-PGPUB; USPAT	2006/05/09 18:53		
17	US-PGPUB; USPAT	2006/05/09 19:21		
18	US-PGPUB; USPAT	2006/05/09 19:23		
19	US-PGPUB; USPAT	2006/05/09 19:38		
20	US-PGPUB; USPAT	2006/05/09 19:38		
21	US-PGPUB; USPAT	2006/05/09 19:48		
22	US-PGPUB; USPAT	2006/05/09 19:48		

	Errors	Ref #
1		S429
2		S430
3		S431
4		S432
5		S433
6		S434
7		S435
8		S436
9		S437
10		S438
11		S439
12		S440
13		S441
14		S442
15		S443
16		S444
17		S445
18		S446
19		S447
20		S448
21		S449
22		S450